



VALVE BODY NUMBER	REVERSE ACTING FOR COOLING	CONNECTION (NPT)	NOMINAL PORT	CAPACITY (Cv)	MAXIMUM CLOSE-OFF PRESSURE psid (bar)	DIMENSIONS IN (MM)			APPROXIMATE SHIPPING WT. lbs (kg)
						A	B	C	
D01WA32	R01WA32	3/4"	3/4"	8	250 (17.3)	5-39/64 [142.48]	2-5/16 [58.74]	2-5/16 [58.74]	5.0 (2.25)
D02WA32	R02WA32	1"	1"	12	250 (17.3)	6 [152.4]	2-5/16 [58.74]	2-5/16 [58.74]	6.1 (2.75)
D03WA32	R03WA32	1-1/4"	1-1/4"	21	250 (17.3)	7-13/64 [182.96]	2-39/64 [66.28]	2-39/64 [66.28]	10.1 (4.55)
D04WA32	R04WA32	1-1/2"	1-1/2"	30	250 (17.3)	7-25/32 [197.64]	2-39/64 [66.28]	2-39/64 [66.28]	11.1 (5.00)
D04WA32	R05WA32	2"	2"	47	250 (17.3)	8-39/64 [218.68]	3-7/64 [78.98]	3-7/64 [78.98]	17.0 (7.65)

SCALE 1:2

© = CRITICAL DIMENSION
STANDARD TOLERANCES UNLESS NOTED:
ALL DECIMAL DIMENSIONS ± .005
ALL ANGLES ± 1°

NO.		CHANGES		BY/DATE		DATE		NAME		MATERIAL	
						DWN BY		38R SERIES		FINISH	
						CHKD		2-WAY BRONZE		DWYER INSTRUMENTS, INC.	
				APPD				VALVE BODY		MICHIGAN CITY, INDIANA 46360 U.S.A.	
								DOUBLE SEAT		FR. NO.	
										ACAD2002	
										3	

NOTICE: This drawing and the principles and elements of design embodied therein are the exclusive property of DWYER INSTRUMENTS, INC. and are not to be communicated, disclosed, reproduced or used except as previously authorized in writing by such corporation and must not be submitted to outside parties for examination without the written consent of said corporation.